

The table shows available dimensions for direct order including the maximum length (mm)

Minimum length: 2000 mm<sup>\*)</sup>

Minimum quantities:

Thickness: Minimum position weight:

3.0-60.0 2.5 tons

60.1-100.0 3.5 tons

100.1-120.0 4.0 tons

120.1- 5.0 tons

- Some restrictions on dimensions, contact your local sales representative for information
- Some restrictions on dimensions and quantities, contact your local sales representative for information
- Outside the range of dimension

| Width (mm)     | 1000- | 1351- | 1501- | 1601- | -1701 | 1801- | 1901- | 2001- | 2101- | 2201- | 2301- | 2401- | 2501- | 2601- | 2701- | 2801- | 2901- | 3001- | 3101- | 3201- | 3301- |  |
|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|
| Thickness (mm) | 1350  | 1500  | 1600  | 1700  | 1800  | 1900  | 2000  | 2100  | 2200  | 2300  | 2400  | 2500  | 2600  | 2700  | 2800  | 2900  | 3000  | 3100  | 3200  | 3300  | 3350  |  |
| 3.0-3.7        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 3.8-4.7        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 4.8-5.7        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 5.8-7.9        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 8.0-9.9        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 10.0-24        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 24.1-25        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 25.1-26        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 26.1-27        | 14000 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 27.1-28        | 13400 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 28.1-29        | 13000 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 29.1-30        | 12500 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 30.1-31        | 12100 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 31.1-32        | 11800 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 32.1-33        | 11400 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 33.1-34        | 11100 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 34.1-35        | 10700 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 35.1-36        | 10400 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 36.1-37        | 10200 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 37.1-38        | 9900  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 38.1-39        | 9600  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 39.1-40        | 9400  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 40.1-45        | 8300  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 45.1-50        | 7500  | 13500 | 13500 | 13500 | 13500 | 13400 | 12700 | 12100 | 11500 | 11000 | 10600 | 10100 | 9700  | 9400  | 9000  | 8700  |       |       |       |       |       |  |
| 50.1-51        | 6800  | 11200 | 11200 | 11200 | 11200 | 11200 | 11200 | 11000 | 10500 | 10000 | 9600  | 9200  | 8900  | 8500  | 8200  | 7900  |       |       |       |       |       |  |
| 51.1-60        | 7800  | 11200 | 11200 | 11200 | 11200 | 11100 | 10600 | 10100 | 9600  | 9200  | 8800  | 8400  | 8100  | 7800  | 7500  | 7300  |       |       |       |       |       |  |
| 60.1-65        | 7200  | 11200 | 11200 | 11200 | 10800 | 10300 | 9700  | 9300  | 8900  | 8500  | 8100  | 7800  | 7500  | 7200  | 6900  | 6700  |       |       |       |       |       |  |
| 65.1-70        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 70.1-75        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 75.1-80        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 80.1-102       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 102.1-115      |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 115.1-130      |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |
| 130.1-150      |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |  |

<sup>\*)</sup> Minimum length when ordering one single plate is 3700 mm. Minimum order quantity is 2 plates when order length is less than 3700 mm.